



### **Fina Valve Assemblies**



0

### **Complementary Products**



Couplings & Nozzle Holders



Blast Nozzles



Whip Check Cables



Blast Hoses



Steel Grit



Garnet



Steel Shot



Aluminium Oxide


#### **Product Features**

PanBlast™ Fina Abrasive Metering Valve reduces costs associated with excess abrasive usage and can be dismantled quickly for easy clearing or maintenance. The BSP version is intended for connection with most non-US equipment and is available in multiple sizes and configurations.

- Low profile
- ▶ Hardened steel plunger.
- Urethane sleeve.
- Urethane plunger seal for smooth operation.
- Compatible with all abrasives.
- ▶ Easily disassembled for servicing and maintenance.
- Various BSP sizes and combinations available.
- Complete range of replacement parts available.

#### **Common Applications**

- ► Touch-up blasting operations.
- Blasting applications with multiple media types
- Blast room, yard, or on site operations.







## Assembly

Stock Code	Description	Weight	Stock Code	Description	Item No.	
BAC-VA-PB-0060	Fina Valve 1-1/4" M X 1-1/4" M Assembly		BAC-VA-PB-0055	Pipe Nipple 1-1/4" M X 1-1/4" M		
BAC-VA-PB-0061	Fina Valve 1-1/2" M X 1-1/2" M Assembly	2.10 kg (4.63 lbs)	BAC-VA-PB-0056	Pipe Nipple 1-1/2" M X 1-1/2" M	13	
BAC-VA-PB-0062	Fina Valve 1-1/4" M X 1-1/2" M Assembly	2.10 kg (4.03 lbs)	BAC-VA-PB-0057	Pipe Nipple 1-1/4" M X 1-1/2" M		
BAC-VA-PB-0063	Fina Valve 1" F X 1-1/2" M Assembly		BAC-VA-PB-0058	Pipe Nipple 1" F X 1-1/2" M		

# Service Kits

Stock Code	Description	Include Items	
BAC-VA-PB-0016 BAC-VA-PB-0122	Fina Valve Service Kit Fina Urethane Sleeve Kit	2 3 x2 4 x2 8 9 10 11 9 x3	



All data and information subject to change without prior notice. Brochure reference CAT-0701-01-01



Pa	rts List			3		Gum .		
	Description	Qty		Description	Qty		Description	Qty
1	Control Knob	1	6	Plunger	1	11	O-Ring	1
2	Spring Pin	1	7	Body	1	12	O-Ring	2
3	Bolt	2	8	Plunger Seal	1	13	Pipe Nipple	1
4	Flat Washer	2	9	Urethane Sleeve	1			
5	Top Body	1	10	Gasket	1			