



PBF II Respirator Airline Filters



Complementary Products



Titan II SAR



Galaxy Blast Helmet





AirScan CO Monitor





Cosmo SAR



Spartan Blast Helmet



Respirator Airline Hose



Air Controllers

Product Features

The PanBlast™ PBF II Respirator Airline Filter Series is a freestanding breathing air filtration solution, which is available in three standard configurations:

PBF II-1 – For single operator use

PBF-II-3 – For use by up to three operators

PBF-II-4 – For use by up to four operators

- Pressure regulator, gauge and relief valve included.
- Manual moisture drain valve.
- ▶ Detachable support legs for easy transport and shipping
- ▶ Dual action quick connect, per international standards.
- ▶ Oil mist density at outlet: 1.0 mg/m³.
- ▶ Optional mircormist kit to achieve oil mist density at 1.0 mg/m³ for

AS/NZS1715 compliance. Common Applications Assure clean, safe breathing air for multiple blast hose operators.

- ▶ Compliance with breathing air delivery standards.


Note: Regulatory requirements for breathing air quality vary by region.

For NIOSH requirements, breathing air must be of Grade D quality.

For CE requirements, breathing air must be in accordance with EN12021.

For AS/NZS requirements, breathing air must be in accordance with AS/NZS1715.

*PBF-4 not available for Australia and New Zealand markets.




Component Highlights





- 1 3 or 4 Operator Outlet Manifold
- 2 Dual Readout Pressure Gage
- Regulatory Safety Pressure Relief Valve 125 psi (860 kPa)
- 4 25 mm (1") Air Inlet Socket


- 5 PBF Carbon Activated Filter Cartridge
- 6 Solid Steel Formed Support Legs
- 7 Lower Moisture Drain Tap
- 8 Bolt On/Off Support Legs


- 9 Body / Cap / Support Legs in Full Solid Steel Construction
- 10 Non-Toxic Food Grade Coating
- 11 Hi Flow Adjustable Pressure Regulator
- 12 Regulatory Twin Action Safety Quick Disconnect Couplings

















Assemblies

Stock Code	Description	Weight	Include Items
YAC-AF-0174-02	PBF II SUB Assembly	N/A	17
BAC-AF-0001-10	PBF II-1 Respirator Airline Filter	12 kg (26.46 lbs)	17 18
BAC-AF-0037-03	PBF II-1 Respirator Airline Filter w/ Micromist	14 kg (30.86 lbs)	17 18 21
BAC-AF-0003-11	PBF II-3 Respirator Airline Filter	13.5 kg (29.76 lbs)	17 19
BAC-AF-0038-03	PBF II-3 Respirator Airline Filter w/ Micromist	15 kg (33.07 lbs)	17 19 22
BAC-AF-0004-10	PBF II-4 Respirator Airline Filter	14.3 kg (31.46 lbs)	17 20





FIND US ON 500PX 500px.com/panblast



All data and information subject to change without prior notice. Brochure reference CAT-1702-01-00











BAC-AF-0003-11

BAC-AF-0004-10

BAC-AF-PB-0005

BAC-AF-PB-0006

Parts List

Item	Stock Code	Description	Qty
1	YAC-AF-0012-05	PBF Body	1
2	BAC-AF-0013-07	PBF Filter Lid	1
3	BAC-PF-PB-0030	6 mm (1/4") - 125 PSI Pressure Relief Valve	1
4	YAC-PF-PB-0167	Mini Ball Valve	1
5	BAC-AF-PB-0055	PBF Flanged Filter Cartridge	1
6	YAC-AF-0265-01	Support Leg	1
7	YAC-FN-PB-0111	Hex Head Bolt	1
8	YAC-AF-PB-0018	9.5 mm (3/8") Pressure Regulator	1
9	YAC-PF-PB-0092	Quick Disconnect Fitting Male	1 for 18 3 for 19 4 for 20
10	BAC-PF-PB-0213	3 mm (1/8") Pressure Gauge - Rear Entry	1
11	YAC-AF-PB-0019	13 mm (1/2") Pressure Regulator	1
12	BAC-PF-PB-0031	6 mm (1/4") Pressure Gauge - Rear Entry	1
13	YAC-AF-0020-02	Air Manifold - 1/2" x 4 Outlet 3/8"	1
14	BAC-AF-PB-0049	Micromist Filter Element	1
15	YAC-PF-PB-0053	Reducing Nipple	1
16	BAC-AF-PB-0050	Micromist Filter Element	1

Optional Accessories



